

□ □ □ □ / □
□ □ □ □
□ □ □ □





01
03
05
07
09
11


13 MIPC1000-80T
15 MPS10020KT-C
17 MPS20020KT-C
19 MIPC1000-100
21 MIPC1000-100C2
23 MIPC1000-160L
25 MIPC1000-135C1

27 CU
28 CU
29 P C

30 kW



	≈
	≈
	≈
	≈
	≈
	≤ 2000 m 2000 m
(W x H x D)	
IP	
	7




120 kW




	≈
	≈
	≈
	≈
	≈
	≤ 2000 m 2000 m
(W x H x D)	
IP	
	7

240 kW





≤ 2000 m 2000 m



Placeholder for content, consisting of 14 horizontal bars.



	()
	≤
	≤
	≤
	≤ ()
	≤
	--
	--
	--
	-40 ~ +75
	-40 ~ +75
	≤ ≥ 1 ,
	()



()

≤

≤

≤

≤ ()

≤


--

--


--

-40 ~ +65

-40 ~ +65





MIPC1000-100




	()
	≤
	≤
	≤
	≤ ()
	≤
	--
	--
	--
	-40 ~ +75
	-40 ~ +75
	≤ ≥ 1 ,
	()


30 kW




	/ 323~456 VAC (280~480 VAC ()
	> 0.99 @ 50%~100%
	5% @ 50%~100% @ 380
	≥
	≤
	≤
	≤
	≤ ± 1% (20%~100%)
	≤
	- - -
	-40 ~ +75
	-40 ~ +75
	5~95%
	2000 m, ≤ 4000 m 100 m 1
	300,000
	4.2 kVDC - 3.5 kVDC - 3.5 kVDC - 4.2 kVDC -CAN 4.2 kVDC -CAN
/	,
/	,
	,
(W×H×D)	459 mm ()



40 kW




(CCU)



—			
—	—	—	—
—	—	—	—

(CU)



POS M1 QR




4G WIFI



—			
—		—	—
—		—	—
—	—	—	—
—	—	—	—

(PLC



R&D

>3000

35% 

1990

↑ 2024 400+

&

32

● 9

38

28



CNAS TUV UL-WTDP UL-CTF



